

ステンレス製ねじ込み管継手

MADE OF STAINLESS STEEL

SCS13A SUS304

検査圧力 (耐圧) 2.45Mpa { 25kgf/cm² } (水圧)
(漏れ) 0.49Mpa { 5kgf/cm² } (空圧)

| 品名 | 90° エルボ | バンド無エルボ | チー | バンド無チー |
|--------|---------|---------|----|--------|
| 記号 | L | LX | T | TX |
| 形状 | | | | |
| 呼び径(B) | A1 | A1 | A2 | A2 |
| 1/8 | 17 | 17 | 17 | 17 |
| 1/4 | 19 | 19 | 19 | 19 |
| 3/8 | 23 | 23 | 23 | 23 |
| 1/2 | 27 | 27 | 27 | 27 |
| 3/4 | 32 | 32 | 32 | 32 |
| 1 | 38 | 38 | 38 | 38 |
| 1 1/4 | 45 | 45 | 45 | 45 |
| 1 1/2 | 48 | 48 | 48 | 48 |
| 2 | 57 | 57 | 57 | 57 |
| 2 1/2 | 69 | | 69 | |
| 3 | 78 | | 78 | |
| 4 | 98 | | 98 | |

| 品名 | 45° エルボ | ユニオン | ストリートエルボ | クロス |
|--------|---------|------|----------|------|
| 記号 | 45L | U | S L | X |
| 形状 | | | | |
| 呼び径(B) | A3 | L1 | A4 | A6 |
| | | S1 | A5 | |
| 1/8 | 16 | 30.5 | 17 | 18.5 |
| 1/4 | 17 | 34 | 19 | 18.5 |
| 3/8 | 19 | 37 | 23 | 22.5 |
| 1/2 | 21 | 39.5 | 27 | 27.5 |
| 3/4 | 25 | 42.5 | 32 | 33.5 |
| 1 | 29 | 51 | 38 | 38.5 |
| 1 1/4 | 33 | 55 | 46 | 46.5 |
| 1 1/2 | 37 | 58 | 48 | 49.5 |
| 2 | 42 | 65.5 | 57 | 57.5 |
| 2 1/2 | 49 | 81.5 | 69 | 68.5 |
| 3 | 54 | 91 | 78 | 77.5 |
| 4 | 65 | 112 | | 96.5 |

は、引出品です。

単位：mm



NAGOYA Co., Inc

SCS13A SUS304

検査圧力 (耐圧) 2.45Mpa { 25kgf/cm² } (水圧)
 (漏れ) 0.49Mpa { 5kgf/cm² } (空圧)



ステンレス製ねじ込み管継手

MADE OF STAINLESS STEEL



| 品名 | 四角プラグ | | キャップ | | 六角ニップル | |
|---------|-------|----|------|------|--------|-----|
| 記号 | P | | C | | S N | |
| 形状 | | | | | | |
| 呼び径 (B) | B1 | L2 | D1 | L3 | L4 | S2 |
| 1/8 | 7 | 16 | 14 | 12.5 | 28 | 12 |
| 1/4 | 9 | 19 | 18 | 16 | 34 | 14 |
| 3/8 | 12 | 21 | 22 | 17 | 36 | 17 |
| 1/2 | 14 | 26 | 28 | 21 | 42 | 22 |
| 3/4 | 17 | 28 | 32 | 23 | 47 | 27 |
| 1 | 19 | 33 | 40 | 27 | 52 | 35 |
| 1 1/4 | 23 | 36 | 50 | 35 | 56 | 43 |
| 1 1/2 | 26 | 38 | 56 | 35 | 60 | 49 |
| 2 | 32 | 42 | 70 | 36 | 66 | 61 |
| 2 1/2 | 41 | 50 | 85 | 42 | 73 | 80 |
| 3 | 46 | 55 | 98 | 47 | 81 | 95 |
| 4 | 58 | 64 | 128 | 56 | 92 | 120 |

1/2^B 迄6角 3/4^B ~ 2^B 迄8角 2 1/2^B 以上10角

| 品名 | 径違いエルボ | | 径違いチー | |
|---------------|--------|----|-------|-----|
| 記号 | R | L | R | T |
| 形状 | | | | |
| 呼び径 (B) | A7 | A8 | A9 | A10 |
| 1/4 x 1/8 | 18 | 18 | 18 | 18 |
| 3/8 x 1/4 | 20 | 22 | 20 | 22 |
| 1/2 x 1/4 | 24 | 24 | 24 | 24 |
| 1/2 x 3/8 | 26 | 25 | 26 | 25 |
| 3/4 x 3/8 | 28 | 28 | 28 | 28 |
| 3/4 x 1/2 | 29 | 30 | 29 | 30 |
| 1 x 1/2 | 32 | 33 | 32 | 33 |
| 1 x 3/4 | 34 | 35 | 34 | 35 |
| 1 1/4 x 3/4 | 38 | 40 | 38 | 40 |
| 1 1/4 x 1 | 40 | 42 | 40 | 42 |
| 1 1/2 x 1 | 41 | 45 | 41 | 45 |
| 1 1/2 x 1 1/4 | 45 | 48 | 45 | 48 |
| 2 x 1 1/4 | 48 | 54 | 48 | 54 |
| 2 x 1 1/2 | 52 | 55 | 52 | 55 |

| 品名 | 六角ホースニップル | | | | |
|---------|-----------|------|----|-----|--|
| 記号 | S H N | | | | |
| 形状 | | | | | |
| 呼び径 (B) | L5 | D2 | S3 | L6 | |
| 1/8 | 33 | 6 | 12 | 3 | |
| 1/4 | 39 | 9 | 14 | 4.5 | |
| 3/8 | 45 | 10.5 | 17 | 5 | |
| 1/2 | 53 | 14 | 22 | 6 | |
| 3/4 | 67 | 20 | 27 | 8 | |
| 1 | 81 | 26.5 | 35 | 10 | |
| 1 1/4 | 92 | 33.5 | 43 | 10 | |
| 1 1/2 | 97 | 40 | 49 | 10 | |
| 2 | 110 | 52.5 | 61 | 11 | |

1/2^B 迄6角 3/4^B 以上8角

は、引出品です。



NAGOYA Co., Inc




単位: mm

ステンレス製ねじ込み管継手

MADE OF STAINLESS STEEL

SCS13A (SUS304)

検査圧力 (耐圧) 2.45Mpa { 25kgf/cm² } (水圧)
(漏れ) 0.49Mpa { 5kgf/cm² } (空圧)

| 品名 記号 | ブッシング | | 六角異径ニップル | | 異径ソケット | | |
|------------------------------------|--|-----|--|----|---|----|----|
| | B | | SRN | | R S | | |
| 形状 |  $1\frac{1}{2}^B$ 迄6角 2^B 以上8角 | |  $\frac{1}{2}^B$ 迄6角 $\frac{3}{4}^B$ 以上8角 | |  | | |
| 呼び径 (B) | L7 | S4 | L8 | S5 | d1 | d2 | L9 |
| $\frac{1}{4} \times \frac{1}{8}$ | 17 | 17 | 33 | 14 | 19 | 15 | 25 |
| $\frac{3}{8} \times \frac{1}{8}$ | 18 | 21 | 34 | 17 | 23 | 15 | 28 |
| $\frac{3}{8} \times \frac{1}{4}$ | 18 | 21 | 35 | 17 | 23 | 19 | 28 |
| $\frac{1}{2} \times \frac{1}{8}$ | 21 | 26 | | | | | |
| $\frac{1}{2} \times \frac{1}{4}$ | 21 | 26 | 38 | 22 | 27 | 19 | 34 |
| $\frac{1}{2} \times \frac{3}{8}$ | 21 | 26 | 39 | 22 | 27 | 23 | 34 |
| $\frac{3}{4} \times \frac{1}{8}$ | 24 | 34 | | | | | |
| $\frac{3}{4} \times \frac{1}{4}$ | 24 | 34 | | | | | |
| $\frac{3}{4} \times \frac{3}{8}$ | 24 | 34 | 42 | 27 | 33 | 23 | 38 |
| $\frac{3}{4} \times \frac{1}{2}$ | 24 | 34 | 45 | 27 | 33 | 27 | 38 |
| $1 \times \frac{1}{4}$ | 27 | 38 | | | | | |
| $1 \times \frac{3}{8}$ | 27 | 38 | | | | | |
| $1 \times \frac{1}{2}$ | 27 | 38 | 48 | 35 | 41 | 27 | 42 |
| $1 \times \frac{3}{4}$ | 27 | 38 | 50 | 35 | 41 | 33 | 42 |
| $1\frac{1}{4} \times \frac{3}{8}$ | 30 | 46 | | | | | |
| $1\frac{1}{4} \times \frac{1}{2}$ | 30 | 46 | | | 50 | 27 | 48 |
| $1\frac{1}{4} \times \frac{3}{4}$ | 30 | 46 | 52 | 43 | 50 | 33 | 48 |
| $1\frac{1}{4} \times 1$ | 30 | 46 | 54 | 43 | 50 | 41 | 48 |
| $1\frac{1}{2} \times \frac{1}{2}$ | 32 | 54 | | | | | |
| $1\frac{1}{2} \times \frac{3}{4}$ | 32 | 54 | | | 56 | 33 | 52 |
| $1\frac{1}{2} \times 1$ | 32 | 54 | 57 | 49 | 56 | 41 | 52 |
| $1\frac{1}{2} \times 1\frac{1}{4}$ | 32 | 54 | 59 | 49 | 56 | 50 | 52 |
| $2 \times \frac{3}{4}$ | 36 | 63 | | | | | |
| 2×1 | 36 | 63 | 61 | 61 | 69 | 41 | 58 |
| $2 \times 1\frac{1}{4}$ | 36 | 63 | 63 | 61 | 69 | 50 | 58 |
| $2 \times 1\frac{1}{2}$ | 36 | 63 | 64 | 61 | 69 | 56 | 58 |
| $2\frac{1}{2} \times 1$ | 39 | 80 | | | | | |
| $2\frac{1}{2} \times 1\frac{1}{4}$ | 39 | 80 | | | 86 | 50 | 65 |
| $2\frac{1}{2} \times 1\frac{1}{2}$ | 39 | 80 | | | 86 | 56 | 65 |
| $2\frac{1}{2} \times 2$ | 39 | 80 | | | 86 | 69 | 65 |
| $3 \times 1\frac{1}{4}$ | 44 | 95 | | | | | |
| $3 \times 1\frac{1}{2}$ | 44 | 95 | | | 99 | 56 | 72 |
| 3×2 | 44 | 95 | | | 99 | 69 | 72 |
| $3 \times 2\frac{1}{2}$ | 44 | 95 | | | 99 | 86 | 72 |
| $4 \times 1\frac{1}{2}$ | 51 | 120 | | | | | |
| 4×2 | 51 | 120 | | | | | |
| $4 \times 2\frac{1}{2}$ | 51 | 120 | | | | | |
| 4×3 | 51 | 120 | | | | | |

は、引出品です。

単位：mm



NAGOYA Co., Inc

